

ARTIFACT SHEET

Enter artifact number below. Artifact number is application number + artifact type code (see list below) + sequential letter (A, B, C ...). The first artifact folder for an artifact type receives the letter A, the second B, etc..
Examples: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB

10-007104ZA
Indicate quantity of a single type of artifact received but not scanned. Create individual artifact folder/box and artifact number for each Artifact Type.

☐

CD(s) containing:

computer program listing

Doc Code: Computer

pages of specification

and/or sequence listing

and/or table

Doc Code: Artifact

content unspecified or combined

Doc Code: Artifact

☐

Artifact Type Code: P

☐

Artifact Type Code: S

☐

Artifact Type Code: U

☐

Stapled Set(s) Color Documents or B/W Photographs

Doc Code: Artifact Artifact Type Code: C

☐

Microfilm(s)

Doc Code: Artifact Artifact Type Code: F

☐

Video tape(s)

Doc Code: Artifact Artifact Type Code: V

☐

Model(s)

Doc Code: Artifact Artifact Type Code: M

☐

Bound Document(s)

Doc Code: Artifact Artifact Type Code: B

☐

Confidential Information Disclosure Statement or Other Documents
marked Proprietary, Trade Secrets, Subject to Protective Order,
Material Submitted under MPEP 724.02, etc.

Doc Code: Artifact Artifact Type Code X

☒

Other, description:

Doc Code: Artifact Artifact Type Code: Z

5,999,827 Patent No.

The United States of America



The Commissioner of Patents and Trademarks

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person(s) having title to this patent the right to exclude others from making, using, offering for sale, or selling the invention throughout the United States of America or importing the invention into the United States of America for the term set forth below, subject to the payment of maintenance fees as provided by law.

If this application was filed prior to June 8, 1995, the term of this patent is the longer of seventeen years from the date of grant of this patent or twenty years from the earliest effective U.S. filing date of the application, subject to any statutory extension.

If this application was filed on or after June 8, 1995, the term of this patent is twenty years from the U.S. filing date, subject to any statutory extension. If the application contains a specific reference to an earlier filed application or applications under 35 U.S.C. 120, 121 or 365(c), the term of the patent is twenty years from the date on which the earliest application was filed, subject to any statutory extension.

T. Todd Johnson

Commissioner of Patents and Trademarks

Pandra L. Morton
Attest

BEST AVAILABLE COPY

[54] COMMUNICATION TERMINAL APPARATUS
AND CONTROL METHOD THEREOF

[75] Inventors: Fukuharu Sudo; Takushi Kunihiro,
both of Tokyo; Tetsuo Kobayashi,
Kanagawa; Atsushi Ajiro; Kentaro
Odaka, both of Tokyo; Tatsuji Ushino,
Kanagawa; Toshiro Terauchi, Tokyo,
all of Japan

[73] Assignee: Sony Corporation, Tokyo, Japan

[*] Notice: This patent is subject to a terminal disclaimer.

[21] Appl. No.: 08/932,942

[22] Filed: Sep. 17, 1997

Related U.S. Application Data

[62] Division of application No. 08/421,945, Apr. 13, 1995,
abandoned.

[30] Foreign Application Priority Data

Apr. 20, 1994 [JP] Japan 6-104350
Aug. 31, 1994 [JP] Japan 6-232327

[51] Int. Cl.⁶ H04B 1/38; H04M 1/00

[52] U.S. Cl. 455/564; 455/566; 455/575;
455/90; 345/169

[58] Field of Search 455/424, 550,
455/566, 575, 90, 186.1, 95, 128, 154.1,
158.1, 351, 158.4, 564; 379/428, 433-434,
367, 368; 345/163, 167-169, 184; 463/37;
273/148 B

[56] References Cited

U.S. PATENT DOCUMENTS

4,885,771 12/1989 Rabideau .

5,237,311 8/1993 Mailey et al. 345/167
5,422,656 6/1995 Allard et al. 455/566
5,436,954 7/1995 Nishiyama et al. 455/566
5,627,531 5/1997 Posso et al. 345/184
5,758,295 5/1998 Ahlberg et al. 455/566

FOREIGN PATENT DOCUMENTS

2012199 9/1991 Canada .
0463582 1/1991 European Pat. Off. .
0588210 3/1994 European Pat. Off. .
0602840 6/1994 European Pat. Off. .
9404084 4/1996 Germany .
04245837 9/1992 Japan .


Primary Examiner—Nguyen Vo

Attorney, Agent, or Firm—Jay H. Maioli

[57] ABSTRACT

A communication terminal apparatus such as a portable telephone apparatus has a main body, a selection operation unit, an operation inputting unit, a display unit, and a controller. The main body has a speaker and a microphone. The selection operation unit is provided on the main body and selects one mode from a plurality of modes of the communication terminal apparatus. The operation inputting unit is provided on the main body and changes functions based on the mode selected by the selection operation unit. The display unit is provided on the main body and displays information required for selection operation or inputting operation by the selection operation unit and/or the operation inputting unit. The controller sets a mode selected based on the input from the selection operation unit, and switches a function of the operation inputting unit based on the input from the selection operation unit. The controller controls display operation of the display unit based on the input from the selection operation unit and/or the operation inputting unit.

4 Claims, 28 Drawing Sheets



BEST AVAILABLE COPY